

# INSTALLATION SPECIFICATIONS & INFORMATION 1996

## Proper Location of Sunroof

Determine the front to back position of the sunroof by placing the template inside the vehicle and determining the best possible position on the headliner. Transfer this position to the outside roof skin by dimpling the roof with an awl poked through the template at least 4 inches within the cut out area. Establish the vehicle center line by measuring side to side on the vehicle and dividing by two. Center the template on this line using the dimple to establish the front to back position. The depth measurements given in this guide are from where the windshield meets the interior trim at the inside center of the vehicle. These specifications are intended to be guidelines only. Car manufacturers may change specifications without notice.

**SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. It is the installer s responsibility to check and verify each application before beginning the installation.**

**All Measurements Are Taken From The Interior And Are Shown With  
An Accuracy of +/- 1 Inch**

## Interior Trim Ring Selection

The selection of the proper trim ring reflects an installer s choice, technique and ability. The T5 & T6 trim rings are universal and can be adapted to a variety of headliner thicknesses. Adapting the ring to the desired configuration is shown on the installation instructions provided with the sunroof. The objective is to create a stack dimension which will firmly squeeze the sealant, steel roof top, shim and headliner together. (Approx. 7/8 Inch) If a trim ring other than the one pre-assembled to your sunroof is used, be sure to pre-assemble this new ring to the frame for easier installation.

NOTE	EXPLANATION OF NOTES
D	It is necessary to move the domelight. In most cases, you may reuse the original mounting bow or a section of it. Make sure that this mounting bow is grounded if it had been used as a ground in its original installation. Always remove the domelight fuse before cutting to prevent an electrical short.
B	A roof bow must be moved, removed or modified in order to properly place the sunroof. The portion of the bow at the edge of the sunroof installation must be trimmed to allow a one inch space between the edge of the sunroof and the cut end of the bow. This allows for proper shimming and a better finished product.
Ds	A double steel roof is indicated by this symbol. Be aware of this factor when cutting the vehicle s roof and when determining the trim ring that you use.
W	A wrapped headliner installation is recommended by this note. This may allow a closer fit to the side rails or the header of the vehicle and will give any vehicle an OEM appearance.
F	A Newport 1828 (non DCS) sunroof is recommended for this application. This version of the NP1828 is not dual contoured and fits better in vehicles with flatter roofs.
Consoles	Many vehicles, especially with higher trim level options, have overhead consoles. Modifications to this console may be required to install sunroofs in these vehicles. SFC Sunroofs does not provide exact specifications for this modification. Each vehicle may require a customized installation.
Δ	This sunroof will fit in the vehicle listed. It will require expert installation and placement to assure a proper fit. Because of the intricacies of this installation, a setback measurement or notes may not be given.

# 1996 Sunroof Application Guide

Printed in the USA  
Unauthorized Reproduction  
of this Material is Prohibited

**SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.**

1996	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
<b>ACURA</b>											
CL	All Inspected Vehicles Have Factory Installed Sunroofs										
Integra	9	9		9		9	12.D.B	10.D.B		11.D.B	
RL	All Inspected Vehicles Have Factory Installed Sunroofs										
SLX	12.B	11.B		12.B		15.D.B	14.D.B	12.D.B		13.D.B	
TL	10	10		10		13.D.B	12.D.B	10.D.B		11.D.B	
<b>AUDI</b>											
All Inspected Vehicles Other Than The A4 Have Factory Sunroofs											
A4		10.B		10.B		10.B	10.B	10.B		11.B	
<b>BMW</b>											
All Inspected Vehicles Have Factory Installed Sunroofs											
<b>BUICK</b>											
Century	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	11.D.B	
Century Wagon	14.D.B	13.D.B	11.D.B	14.D.B	12.D.B	11.D.B	11.D.B	11.D.B		11.D.B	roof rack
Le Sabre	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	
Park Avenue	14.B	14.B	14.B	14.B	14.B	14.B	14.B	14.B	14.B	14.B	16.B
Regal	11	11	13.D.B	11	14.D.B	13.D.B	12.D.B	11.D.B		12.D.B	
Riviera				14		14	14	14		15	
Roadmaster	13.B			13.B	13.B	13.B	13.B	13.B		13.B	13.B
Roadmaster Wagon	No Sunroof Recommended Due to Glass Panel in Roof										
Skylark							13.B.F				
<b>CADILLAC</b>											
All Except Catera											
Catera				12.B	12.B		12.B			12.B	
<b>CHEVROLET</b>											
All Inspected Vehicles Have Factory Installed Sunroofs											
1997 Malibu 4 Dr		14.D.B		15.D.B		12.D.B	11.D.B	10.D.B		10.D.B	
Astro Van	Δ			Δ							flatten ribs. console
Beretta	7	7		7		7	7	7		7	
C/K Series Crew Cab	11	11	11	11	10	11	10	7	6.5		flatten ribs
C/K Series Extended Cab	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.Δ		8.Δ	console
C/K Series Standard Cab	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.Δ		8.Δ	console
Camaro	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!										
Caprice Wagon		12.B	12.D.B	12.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B
Caprice Wagon		12.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B	12.D.B
Cavalier 2 Dr		9.D				9.D	9.D	Δ		Δ	
Cavalier 4 Dr							10.D				wide side rails
Corsica	8	11.D.B		8		10.D.B	12.D.B	10.D.B		10.D.B	
Express Van				Δ							flatten ribs
Impala SS	9	9	8	9	9	8	7.5	11.D.B	9.D.B	11.D.B	
Lumina	9		14.D.B	9	14.D.B	14.D.B	11.D.B	10.D.B		10.D.B	
Lumina Van	13	13	13	13	13	13	12				fiberglass. console
Monte Carlo		7.B		7.B		6.B	12.D.B	12.D.B		12.D.B	
S-10 Blazer	9	9	9	9	9	9	9	8.W.Δ		8.Δ	console
S-10 Pickup Extended Cab	9	9	9	9	9	9	9	9.B	9.B.W	9.B	
S-10 Pickup Standard Cab	9	9	9	9	9	9	9	8.W.Δ		8.Δ	
Suburban	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds		11.Ds	console
Tahoe	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.Δ		8.Δ	console
Tahoe 4 Dr	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds		11.Ds	console
<b>CHRYSLER</b>											
Cirrus	9	9		9		13.D.B	12.D.B	9.D.B		9.D.B	
Concorde		12		12		12	12.B	12.B		12.B	large rear bow
LHS	12	12	12.B	12	12.B	12.B	12.B	12.B		13.B	
New Yorker	10	10	10	10	10.B	10	10	10.B		10.B	
Sebring		12.B		12.B		12.B	12.B	12.B		13.B	
Town & Country Van	10.B	10.B		10.B	10.B	10.B	10.B	10.B		10.B	console
<b>DODGE</b>											
Avenger		12.B		12.B		12.B	12.B	12.B		13.B	
Caravan	10.B	10.B		10.B	10.B	10.B	10.B	10.B		10.B	console
Dakota Pickup Extended Cab	10	10	10	10	10	10	10	10		10	
Dakota Pickup Standard Cab	10	10	10	10	10	10	10	10		10	console
Intrepid		12		12		12	12.B	12.B		12.B	large rear bow
Neon Coupe		9.5.D		9.5.D		9.5.D.B	9.5.D.B	9.5.D.B		9.5.D.B	
Neon Sedan		9.5.D		9.5.D		9.5.D.B	9.5.D.B	9.5.D.B		9.5.D.B	
Ram Pickup Extended Cab	14.5.Ds	14.5.Ds		14.5.Ds	14.5.Ds						
Ram Pickup Standard Cab	14.5.Ds	14.5.Ds		14.5.Ds	14.5.Ds						
Stealth		10.5		10.5		10.5	10.5	10.5.Δ		Δ	
Stratus	9	9		9		13.D.B	12.D.B	9.D.B		9.D.B	
<b>EAGLE</b>											
Summit		10		10		10	10.D.B	10.D.B			
Summit Wagon				8		9.D.B	8.D.B	8.D.B		8.D.B	
Talon	11	11		11		11	11	11		11	

D=Move Domelight

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Δ=Difficult Installation (Tight Fit)

Console=Console Modification Required w/some trim packages

# 1996 Sunroof Application Guide

Printed in the USA  
Unauthorized Reproduction  
of this Material is Prohibited

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. **Highlighted areas reflect a general recommendation.**  
Further information is available in our Instructions and Troubleshooting Guide.

1996	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
<b>EAGLE (Continued)</b>											
Vision		12		12		12	12.B	<b>12.B</b>		12.B	large rear bow
<b>FORD</b>											
1997 Escort		7		7		11.D.B	10.D.B	<b>8.D.B</b>		8.D.B	
1997 Escort Wagon				<b>8</b>							
1997 F-Series Extended Cab	10.B	10.B		10.B	<b>10.B</b>	9.B					
1997 F-Series Standard Cab	10.B	10.B		10.B	<b>10.B</b>	9.B					
Aerostar				<b>12</b>							fill roof ridges
Aspire		8.D.B		8.D.B		8.D.B	<b>8.D.B</b>	8.D.B		8.D.B	
Bronco	10.Ds	10.Ds	<b>10.Ds</b>	10.Ds	10.Ds	10.Ds	10.Ds	8.Ds.W	8.Ds.W	8.Ds	console
Contour		9.5.B		8.B		9.5.B	<b>9.5.B</b>	9.5.B		9.5.B	
Crown Victoria	10.D.B	10.D.B	10.D.B	10.D.B		10.D.B	10.D.B	<b>10.D.B</b>		10.D.B	
Econoline Van	<b>10.D</b>			10.D	10.D						fill roof ridges
Escort		7		7		12.D.B	11.D.B	<b>10.D.B</b>		10.D.B	
Escort Wagon				<b>8</b>							
Explorer	9.5	9.5		9.5		9.5	9.5	<b>9.5</b>		9.5	ribbed roof flatten ribs
F-Series Crew Cab			Δ		Δ						
F-Series Extended Cab	10.B	10.B	10.B	10.B	<b>10.B</b>	10.B	10.B	10.B	10.B	10.B	
F-Series Standard Cab	10.Ds	10.Ds	10.Ds	10.Ds	<b>10.Ds</b>	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	
Mustang							<b>9.D.B</b>	9.D.B			
Probe	9.B	9.B		9.B		9.B	9.B	<b>9.B</b>		9.B	
Ranger Extended Cab	10.B	10.B	10.B	10.B	<b>10.B</b>	10.B	10.B	10.B	10.B	10.B	
Ranger Splash	10.Ds	10.Ds		10.Ds	<b>10.Ds</b>	10.Ds					
Ranger Standard Cab	10.Ds	10.Ds		10.Ds	<b>10.Ds</b>	10.Ds					
Taurus		10		10		9.D.B.W	<b>10.D.B.</b>	10.D.B.		10.D.B	
Taurus Wagon		10		10		<b>9.D.B.</b>					
Thunderbird		10.D.B		10.D.B		10.D.B	10.D.B	<b>10.D.B</b>		10.D.B	
Windstar Van	10	10		10		<b>10</b>	12.D.B	11.D.B		11.D.B	
<b>GEO</b>											
Metro 3 Dr							<b>11.D</b>				
Metro 4 Dr		9					<b>12.D</b>				
Prizm		8		8		<b>8</b>	8	10.B		10.B	
Tracker		8		8		<b>8</b>	13.D.B	11.D.B		11.D.B	ribbed roof
<b>GMC</b>											
1997 Savana Van					Δ						flatten ribs
Jimmy	9	9	9	9	<b>9</b>	9	9	8.W.Δ		8.Δ	console
Jimmy 4 Dr	9	9	9	9	<b>9</b>	9	9	8.W.Δ		8.Δ	console
Sierra Crew	11	11	11	11	10	11	10	7	<b>6.5</b>		flatten ribs
Sierra Extended Cab	9.Ds	9.Ds	9.Ds	9.Ds	<b>9.Ds</b>	9.Ds	9.Ds	8.Δ		8.Δ	
Sierra Standard Cab	9.Ds	9.Ds	9.Ds	9.Ds	<b>9.Ds</b>	9.Ds	9.Ds	8.Δ		8.Δ	
Sonoma Pickup Extended Cab	9	9	9	9	<b>9</b>	9	9	9.B	9.B.W	9.B	
Sonoma Pickup Standard Cab	9	9	9	9	<b>9</b>	9	9	8.W.Δ		8.Δ	
Suburban	10.Ds	10.Ds	10.Ds	10.Ds	<b>10.Ds</b>	10.Ds	10.Ds	10.Ds		11.Ds	console
Yukon	9.Ds	9.Ds	9.Ds	9.Ds	<b>9.Ds</b>	9.Ds	9.Ds	9.Ds		8.Δ	console
Yukon 4 Dr	10.Ds	10.Ds	10.Ds	10.Ds	<b>10.Ds</b>	10.Ds	10.Ds	10.Ds		11.Ds	console
<b>HONDA</b>											
Accord		12.D.B		13.D.B		<b>10.D.B</b>	10.D.B	10.D.B		10.D.B	
Accord Wagon		9.B		9.B		<b>9.B</b>					
Civic 2 Dr. 3 Dr	8.B	8.B		8.B		8.B	<b>7.B</b>	9.D.B		9.D.B	
Civic 4 Dr	9.B	9.B		9.B		11.D.B	<b>10.D.B</b>	9.D.B		10.D.B	
Del Sol			All Inspected Vehicles Have a Removable Roof Panel								
Odyssey	9.D.B	9.D.B		9.D.B		9.D.B	9.D.B	<b>9.D.B</b>		10.D.B	
Passport	8.B	8.B		8.B		8.B	8.B	<b>8.B</b>		9.B	
Prelude			All Inspected Vehicles Have Factory Installed Sunroofs								
<b>HYUNDAI</b>											
Accent		9		9		7	<b>13.D.B</b>	11.D.B		11.D.B	
Elantra		9		9		<b>8.W</b>	13.D.B	11.D.B		11.D.B	
Elantra Wagon			No Sunroof Recommended Due to Multi-level Roof								
Sonata	8	8		8		<b>8</b>	8	12.D.B		13.D.B	
<b>INFINITI</b>											
G20	14.D.B	13.D.B		14.D.B		11.D.B	10.D.B	<b>10.D.B</b>		11.D.B	
I30, J30, Q45			All Inspected Vehicles Have Factory Installed Sunroofs								
<b>ISUZU</b>											
Hombre	9	9	9	9	<b>9</b>	9	9	8.W.Δ		8.Δ	
Oasis	9.D.B	9.D.B		9.D.B		9.D.B	9.D.B	<b>9.D.B</b>		10.D.B	
Rodeo	8.B	8.B		8.B		8.B	8.B	<b>8.B</b>		9.B	
Trooper	12.B	11.B		12.B		15.D.B	14.D.B	<b>12.D.B</b>		13.D.B	
<b>JEEP</b>											
Cherokee			<b>4</b>	Use Special Sunroofs Only							

D=Move Domelight

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Δ=Difficult Installation (Tight Fit)

Console=Console Modification Required w/some trim packages

# 1996 Sunroof Application Guide

Printed in the USA  
Unauthorized Reproduction  
of this Material is Prohibited

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.

1996	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment	
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
<b>JEEP (Continued)</b>												
Grand Cherokee				Use Special Sunroofs Only				4			console fiberglass	
Wrangler	6	6	6	6	6	6	6	6	6	6		
<b>KIA</b>												
Sephia	8			8			11.D.B	9.D.B				
Sportage				9			11.D.B	9.D.B				
<b>LAND ROVER</b>												
Discovery	19	19	19	19	19	19	19	19		19		
<b>LEXUS</b>												
All Inspected Vehicles Have Factory Installed Sunroofs												
<b>LINCOLN</b>												
Continental	14.B	14.B	14.B	14.B		14.B	14.B	14.B		14.B		
Mark VIII		11.B		11.B		11.B	11.B	11.B		11.B		
Town Car	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B		
<b>MAZDA</b>												
626	10	10	9	10	10.Δ	11	10	8		8.W		
Millenia		11		11		11	11	11		12		
MPV Van	10	10	10	10	10	10	10.B	10.B		10.B	flatten ribs optional fiberglass	
MX-5 Miata		8		8								
MX-6	11.B	11.B		11.B		11.B	11.B	11.B		12.B		
Pickup Extended Cab	10.B	10.B	10.B	10.B	10.B	10.B	10.B	10.B	10.B	10.B		
Pickup Standard Cab	10.Ds	10.Ds		10.Ds	10.Ds	10.Ds						
Protege	10	10		10			12.D.B	10.D.B		10.D.B		
RX-7				No Sunroof Recommended Due to Multi-level Roof								
<b>MERCURY</b>												
1997 Mountaineer	9.5	9.5		9.5		9.5	9.5	9.5		9.5	ribbed roof	
1997 Tracer		7		7		11.D.B	10.D.B	8.D.B		8.D.B		
1997 Tracer Wagon				8								
Cougar		10.D.B		10.D.B		10.D.B	10.D.B	10.D.B		10.D.B		
Grand Marquis			13.D.B			13.D.B	12.D.B	10.D.B		10.D.B		
Mvstiaue		9.5.B		8.B		9.5.B	9.5.B	9.5.B		9.5.B		
Sable		10		10		9.D.B.W	10.D.B	10.D.B		10.D.B		
Sable Wagon		10		10		9.D.B						
Tracer		7		7		12.D.B	11.D.B	10.D.B		10.D.B		
Tracer Wagon				8								
Villager	11.B	11.B	11.B	11.B	11.B	10.B	10.B	10.B		10.B		
<b>MERCEDES BENZ</b>												
All Inspected Vehicles Have Factory Installed Sunroofs												
<b>MITSUBISHI</b>												
3000 GT		10		10		10	10	Δ		Δ	hardtop only	
Diamante & Wagon				10		10	10	10		10		
Eclipse	11	11		11		11	11	11		11		
Galant		9		9		9		10.D.B		10.D.B		
Mighty Max Extended Cab	11	11	8.5	11	8.5	8.5	8.5	8.5		8.5		
Mighty Max Standard Cab	11	11	8.5	11	8.5	8.5	8.5	8.5		8.5		
Mirage		8		8		8	12.D.B	10.D.B		9.D.B		
Montero	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	13.D.B	8.5		
<b>NISSAN</b>												
200SX		10.D.B		10.D.B		13.D.B	12.D.B	10.D.B		10.D.B		
240SX		11.5.D.		11.5.D.		11.5.D.	11.5.D.	11.5.D.		11.5.D.		
Altima		9.5.D.B		9.5.D.B		9.5.D.B	9.5.D.B	9.5.D.B		9.5.D.B		
Maxima	14.D.B	13.D.B		14.D.B		11.D.B	10.D.B	10.D.B		11.D.B		
Pathfinder	14.B	14.B		14.B								
Pickup Extended Cab	9	9	9	9	9	9	9	9		7.5		
Pickup Standard Cab	9	9	9	9	9	9	9	7.5		7.5		
Quest	11.B	11.B	11.B	11.B	11.B	10.B	10.B	10.B		10.B		
Sentra		9		9		13.D.B	12.D.B	10.D.B		10.D.B		
<b>OLDSMOBILE</b>												
88 Royale	11.B	11.B	11.B	11.B	11.B	11.B	11.B	11.B		11.B		
98 Regency	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B		12.B	console	
Achieva							13.B.F					
Aurora							10.B	10.B		10.B		
Bravada	9	9	9	9	9	9	9	8.W,Δ		8.Δ		
Cutlass Ciera	14.D.B	13.D.B	12.D.B	14.D.B		12.D.B	11.D.B	9.D.B		10.D.B		
Cutlass Supreme	10.B	10.B	10.B	10.B		10.B	10.B	10.B		10.B		
Cutlass Wagon	13	12	10.D.B	13		10.D.B	10.D.B	8.D.B.D		9.D.B	roof rack	
Silhouette	13	13	13	13	13	13	12				fiberglass, console	
<b>PLYMOUTH</b>												
Acclaim	10	10		10		10.B	10.B	10.B		10.B		
Breeze	9	9		9		13.D.B	12.D.B	9.D.B		9.D.B		

D=Move Domelight

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Δ=Difficult Installation (Tight Fit)

Console=Console Modification Required w/some trim packages

# 1996 Sunroof Application Guide

Printed in the USA  
Unauthorized Reproduction  
of this Material is Prohibited

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. **Highlighted areas reflect a general recommendation.**  
Further information is available in our Instructions and Troubleshooting Guide.

1996	1433	1530	1735	1432	1636	1732	1828	2032	2238	ES1932	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
<b>PLYMOUTH (Continued)</b>											
Neon Sedan		9.5.D		9.5.D			9.5.D.B	<b>9.5.D.B</b>	9.5.D.B		9.5.D.B
Neon Coupe		9.5.D		9.5.D			9.5.D.B	<b>9.5.D.B</b>	9.5.D.B		9.5.D.B
Vovaqer	10.B	10.B		10.B	<b>10.B</b>	10.B	10.B	10.B	10.B		10.B console
<b>PONTIAC</b>											
Bonneville	15.B	15.B	15.B	15.B		15.B	15.B	<b>15.B</b>		15.B	
Firebird / Trans Am	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!										
Grand Am							<b>13.B.F</b>				wide side rails
Grand Prix	10.B	10.B	11.D.B	10.B	10.B	11.D.B	12.D.B	<b>10.D.B</b>		10.D.B	
Sunfire 2 Dr		9.D				9.D	<b>9.D</b>	Δ		Δ	
Sunfire 4 Dr							<b>10.D</b>				wide side rails
Trans Sport	13	13	13	13	<b>13</b>	13	12				fiberglass. console
<b>SAAB</b>											
900		10.5		10.5		10.5	10.5.F	<b>10.5</b>		11	
9000							11	<b>11</b>			
<b>SATURN</b>											
SC1/SC2 Coupe	9	9		9		9.B	9.B	<b>9.B</b>		9.B	
SL/SL1/SL2 Sedan		12		12		14.D.B	13.D.B	<b>13.D.B</b>		13.D.B	
SW1/SW2 Wagon				<b>10</b>							
<b>SUBARU</b>											
Impreza Coupe		8.5		8.5		8.5	11.D.B	<b>9.D.B</b>		9.D.B	
Impreza Wagon				<b>7</b>							roof rack
Legacy		8.5		8.5		8.5	11.D.B	<b>10.D.B</b>		11.D.B	
Legacy Outback Wagon	No Sunroof Recommended Due to Multi-level Roof										
Legacy Wagon		8.5		9.5		<b>9.5</b>					
SVX	All Inspected Vehicles Have Factory Installed Sunroofs										
<b>SUZUKI</b>											
Esteem		9		9		<b>9</b>	8	13.D		13.D	
Sidekick		8		8		<b>8</b>	13.D.B	11.D.B		11.D.B	ribbed roof
Swift		9		9	9		<b>9</b>	9		Δ	
X-90	All Inspected Vehicles Have Factory T-Tops										
<b>TOYOTA</b>											
4-Runner	8.5	8.5		8.5	8.5	8.5	8.5	<b>8.5</b>		8.5	
Avalon		9		9		9	9	<b>9</b>		9	
Camrv	9	9		9		9	9	<b>8</b>		8	
Camrv Wagon	9	9		9		9	<b>9</b>				
Celica		8.5		8.5		8.5	8.5	<b>8.5</b>		8.5	
Corolla		8.5		8.5		<b>8.5</b>	8.5	10.D.B		10.D.B	
Corolla Wagon		8.5		8.5		<b>8.5</b>	8.5	10.D.B		10.D.B	
Land Cruiser	11	11	11.D.B	11	11.D.B	11.D.B	11.D.B	<b>11.D.B</b>		11.D.B	
Paseo		9		9		9	9	<b>9</b>		9	
Previa		10		10	<b>10</b>	10					
RAV4 2 Dr	9	9		9		9	9	<b>9</b>			
RAV4 4 Dr	9	9		9		9	9	<b>9</b>		10	
Supra	9	9		9		9	<b>9</b>	9.Δ		9.Δ	
T100 Extended Cab	9	9	9	9	<b>9</b>	9	9	9	8	9	
T100 Standard Cab	9	9	9	9	<b>9</b>	9	9	7	5.5.W	7	
Tacoma Extended Cab	9	9	9	9	<b>9</b>	9	8	7	7	7	
Tacoma Standard Cab	9	9		9	<b>9</b>	9	8				
Terrel	9	9		9		9	<b>9.D.B</b>	12.D.B		12.D.B	
<b>VOLKSWAGEN</b>											
Golf & GTI		11.B		11.B		11.B	11.B	<b>11.B</b>		11.B	
Jetta		11.B		11.B		11.B	11.B	<b>11.B</b>		11.B	
Passat		12		12		12.D.B	12.D.B	<b>12.D.B</b>			
Passat Wagon		12		12		12.D.B	12.D.B				
<b>VOLVO</b>											
850 & Wagon	9	8		8	<b>8</b>						
960 & Wagon	All Inspected Vehicles Have Factory Installed Sunroofs										