

# INSTALLATION SPECIFICATIONS & INFORMATION 1998

## Proper Location of Sunroof

Determine the front to back position of the sunroof by placing the template inside the vehicle and determining the best possible position on the headliner. Transfer this position to the outside roof skin by dimpling the roof with an awl poked through the template at least 4 inches within the cut out area. Establish the vehicle center line by measuring side to side on the vehicle and dividing by two. Center the template on this line using the dimple to establish the front to back position. The depth measurements given in this guide are from where the windshield meets the interior trim at the inside center of the vehicle. These specifications are intended to be guidelines only. Car manufacturers may change specifications without notice.

**SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. It is the installer s responsibility to check and verify each application before beginning the installation.**

**All Measurements Are Taken From The Interior And Are Shown With  
An Accuracy of +/- 1 Inch**

## Interior Trim Ring Selection

The selection of the proper trim ring reflects an installer s choice, technique and ability. The T5 & T6 trim rings are universal and can be adapted to a variety of headliner thicknesses. Adapting the ring to the desired configuration is shown on the installation instructions provided with the sunroof. The objective is to create a stack dimension which will firmly squeeze the sealant, steel roof top, shim and headliner together. (Approx. 7/8 Inch) If a trim ring other than the one pre-assembled to your sunroof is used, be sure to pre-assemble this new ring to the frame for easier installation.

NOTE	EXPLANATION OF NOTES
D	It is necessary to move the domelight. In most cases, you may reuse the original mounting bow or a section of it. Make sure that this mounting bow is grounded if it had been used as a ground in its original installation. Always remove the domelight fuse before cutting to prevent an electrical short.
B	A roof bow must be moved, removed or modified in order to properly place the sunroof. The portion of the bow at the edge of the sunroof installation must be trimmed to allow a one inch space between the edge of the sunroof and the cut end of the bow. This allows for proper shimming and a better finished product.
Ds	A double steel roof is indicated by this symbol. Be aware of this factor when cutting the vehicle s roof and when determining the trim ring that you use.
W	A wrapped headliner installation is recommended by this note. This may allow a closer fit to the side rails or the header of the vehicle and will give any vehicle an OEM appearance.
F	A Newport 1828 (non DCS) sunroof is recommended for this application. This version of the NP1828 is not dual contoured and fits better in vehicles with flatter roofs.
Consoles	Many vehicles, especially with higher trim level options, have overhead consoles. Modifications to this console may be required to install sunroofs in these vehicles. SFC Sunroofs does not provide exact specifications for this modification. Each vehicle may require a customized installation.
Δ	This sunroof will fit in the vehicle listed. It will require expert installation and placement to assure a proper fit. Because of the intricacies of this installation, a setback measurement or notes may not be given.

# 1998 Sunroof Application Guide

Printed in the USA  
Unauthorized Reproduction  
of this Material is Prohibited

**SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.**

AutoPort Genesis	NewPort Genesis	1433	1530	1735	1432	1528	1636	1732	1828	2032	2238	Comment	
<b>1998</b>	Electric Spoilers	All spoilers have an interior bezel that extends at least 1 inch forward of the front cut line. Position the roof by following the instructions included with each spoiler.						ES100			ES32 ES300 ES500		
<b>MAK/MONFI</b>		Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
<b>ACURA</b>													
CL, RL, TL, SLX		All Inspected Vehicles Have Factory Installed Sunroofs											
Inteara		9	9		9	9			8	11.D.B	9.D.B		
<b>AUDI</b>													
A4			10.B		10.B	10.B			10.B	10.B			
A4 Wagon		All Inspected Vehicles Have Factory Installed Sunroofs											
A6		All Inspected Vehicles Have Factory Installed Sunroofs											
A6 Wagon		10	10	10	10	10		10	10.F	10			
A8		All Inspected Vehicles Have Factory Installed Sunroofs											
<b>BMW</b>		All Inspected Vehicles Have Factory Installed Sunroofs											
<b>BUICK</b>													
Century		12.B	12.B		12.B	12.B			12.B	12.B	12.B		
Le Sabre		12.B	12.B	12.B	12.B	12.B	12.B		12.B	12.B	12.B		
Park Avenue			13.B		13.B	13.B			13.B	13.B	13.B		
Regal		11.B	11.B		11.B	11.B			11.B	10.B	9.D.B		
Riviera					14	14			14	14	14		
<b>CADILLAC</b>													
Catera					10.B	10.B			10.B	12.B.F	10.B		
DeVille									12.B	12.B.F	12.B		
Eldorado									12.B	12.B.F	12.B		
Seville									12.B	12.B.F	12.B		
<b>CHEVROLET</b>													
Astro Van		Δ			Δ	Δ						flatten ribs, console	
Blazer		9	9	9	9	9	9	9	9	9	8.W.D	console	
C/K Series Crew Cab		9	9	9	9	9	9	9	9	9	6.5	flatten ribs	
C/K Series Extended		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D.Ds	console	
C/K Series Standard		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D.Ds	console	
Camaro		No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!											
Cavalier 2 Dr			9.D						9.D	9.D	9.D		
Cavalier 4 Dr						9.D				10.D		wide side rails	
Express Van							Δ					flatten ribs	
Lumina		9	8	14.D.B	9	9	14.D.B	14.D.B	11.D.B	10.D.B			
Malibu 4 Dr			14.D.B		15.D.B	8.B			12.D.B	11.D.B	10.D.B		
Metro 3 Dr			9			9				11			
Metro 4 Dr			9			9				12.D.B			
Monte Carlo			7.B		7.B	7.B			6.B	12.D.B	12.D.B		
Prizm		13.D.B	12.D.B		13.D.B	9.B			11.D.B	10.D.B	10.D.B		
S-10 Pickup Extended		9	9	9	9	9	9	9	9	9	9.B	9.B.W	
S-10 Pickup Standard		9	9	9	9	9	9	9	9	9	8.W.D		
Suburban		11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	console	
Tahoe		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D.Ds	console	
Tahoe 4 Dr		10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	console	
Tracker			10		10	10			10		12.D.B	ribbed roof	
Venture											11.B	console	
<b>CHRYSLER</b>													
1999 LHS			14.B		14.B	14.B			14.B	14.B	14.B		
Cirrus		9	9		9	9			13.D.B	12.D.B	10.D.B		
Concorde			14.B		14.B	14.B			14.B	14.B	14.B	console	
Eagle Talon		11	11		11	11			11	11	11		
Sebring			12.B		12.B	12.B			12.B	12.B	12.B	large rear brace	
Town & Country Van		10.B	10.B		10.B	10.B	10.B		10.B	10.B	10.B	console	
<b>DODGE</b>													
Avenir			12.B		12.B	12.B			12.B	12.B	12.B	large rear brace	
Caravan		10.B	10.B		10.B	10.B	10.B		10.B	10.B	10.B	console	
Dakota Pickup Extended		10	10		10	10	10		10			console	
Dakota Pickup Standard		10	10		10	10	10		10				
Durango		7.D	7.D		7.D		7.D.D	7.D				no Genesis, console	
Full Sized Ram Van		12	12				12				12		
Intrepid			14.B		14.B	14.B			14.B	14.B	14.B		
Neon			9.5.D		9.5.D	9.5.D			9.5.D.B	9.5.D.B	9.5.D.B		
Ram Pickup Extended		14.5.Ds	14.5.Ds		14.5.Ds	14.5.Ds	14.5.Ds						
Ram Pickup Quad Cab		14.5.Ds	14.5.Ds		14.5.Ds	14.5.Ds	14.5.Ds						
Ram Pickup Standard		14.5.Ds	14.5.Ds		14.5.Ds	14.5.Ds	14.5.Ds						
Stratus		9	9		9	9			13.D.B	12.D.B	10.D.B		
<b>FORD</b>													
Contour			10.B		8.B	8.B			10.B	10.B	10.B		

D=Move Domelight

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Δ=Difficult Installation (Tight Fit)

Console=Console Modification Required w/some trim packages

**SFC and CRL do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.**

AutoPort	NewPort Genesis	1433	1530	1735	1432	1528	1636	1732	1828	2032	2238	Comment	
<b>1998</b>	Electric Spoilers	All spoilers have an interior bezel that extends at least 1 inch forward of the front cut line. Position the roof by following the instructions included with each spoiler.						ES100		ES32 ES300 ES500			
<b>MAKF/MODFI</b>		Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
<b>FORD (Continued)</b>													
Crown Victoria		9.B		13.D.B	9.B	9.B	14.D.B	13.D.B	12.D.B	10.D.B			
Econoline Van		10.D			10.D	10.D	10.D					fill roof ridaes	
Escort 4 Dr			8		8	8		12.D.B	11.D.B	10.D.B			
Escort Wagon					8	8							
Escort ZX2			7.B		7.B	8.B		11.D.B	10.D.B	8.D.B			
Expedition		11.B	11.B		11.B	11.B		13.D.B	12.D.B	11.D.B		ribs. console	
Explorer		10	10		10	10		10	10	10		ribs. console	
F-150 Extended Cab		10	10		10	10	10	10	11	10			
F-150 Standard Cab		10.B	10.B		10.B	10.B	10.B	10.B	10.D.B.F	10.D.B			
F-250 Extended Cab		10.B	10.B		10.B	10.B	10.B	10.B	11.B	10.B			
F-250 Standard Cab		10.B	10.B		10.B	10.B	10.B	10.B	11.B	10.B			
F-Series Crew Cab				Δ			Δ					flatten ribs	
Mustang			8.B		8.B	8.B			9.D.B	9.D.B			
Ranger Extended Cab		9.B	8.B		9.B	9.B	7.B	7.B	11.D.B.F	9.D.B			
Ranger Standard Cab		9.B	9.B		9.B	9.B	8.B	8.B					
Taurus			9		10	10		12.D.B	10.D.B	10.D.B			
Taurus Wagon			10		10	10		9.D.B					
Windstar Van		10	10		10	10		10	12.D.B	11.D.B			
<b>GMC</b>													
1999 Denali		10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	console	
1999 Envoy		9	9	9	9	9	9	9	9	8.W.D		console	
C/K Series Crew Cab		9	9	9	9	9	9	9	9	9	6.5	flatten ribs	
C/K Series Extended		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D.Ds			
C/K Series Standard		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D.Ds			
Jimmi		9	9	9	9	9	9	9	9	8.W.D		console	
Safari		Δ			Δ	Δ							
Savana Van							Δ					flatten ribs	
Sonoma Pickup Ext Cab		9	9	9	9	9	9	9	9	9.B	9.B.W		
Sonoma Pickup Std Cab		9	9	9	9	9	9	9	9	8.W.D			
Suburban		11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds	11.Ds		console	
Yukon 2 Dr		9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	9.Ds	8.D		console	
Yukon 4 Dr		10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds	10.Ds		console	
<b>HONDA</b>													
Accord		15.D.B	14.D.B		15.D.B	10.B		12.D.B	11.D.B	11.D.B		large rear brace (coupe)	
Civic 2 Dr. 3 Dr		10.B	10.B		10.B	10.B		9.B	8.B	9.D.B			
Civic 4 Dr		9.B	9.B		9.B	9.B		12.D.B	11.D.B	9.D.B			
CRV		11.B	11.B		11.B	11.B		11.B	11.B	11.D.B			
EV			12		12	12		15.D.B	14.D.B	12.D.B			
Odyssey		9.D.B	9.D.B		9.D.B	9.D.B		9.D.B					
Passport		11	11	11	11	11	11	11	11	10			
Prelude	All Inspected Vehicles Have Factory Installed Sunroofs												
<b>HYUNDAI</b>													
Accent			9		9	9		7	13.D.B	11.D.B			
Elantra			9		9	9		7	13.D.B	11.D.B			
Elantra Wagon	No Sunroof Recommended Due to Multi-level Roof												
Sonata		9.B	9.B		9.B	9.B		9.B	8.B	13.D.B			
Tiburon			8.B		8.B	8.B		12.D.B	11.D.B	9.D.B			
<b>INFINITI</b>													
I30. Q45	All Inspected Vehicles Have Factory Installed Sunroofs												
QX4		15.B	15.B		15.B	15.B		15.B					
<b>ISUZU</b>													
Amigo		10	10	10	10	10	10	10	10	10			
Hombre Pickup		9	9	9	9	9	9	9	9	8.W.D			
Hombre Space Cab		9	9	9	9	9	9	9	9	8.W.D			
Oasis		9.D.B	9.D.B		9.D.B	9.D.B		9.D.B	9.D.B	9.D.B			
Rodeo		10	10	10	10	10	10	10	10	10			
Trooper		12.B	11.B	15.D.B	12.B	12.B		15.D.B	14.D.B	12.D.B	12.D.B		
<b>JEEP</b>													
Cherokee		4		4	Use Special Sunroofs Only								
Grand Cherokee					Use Special Sunroof Only							4	console. no ES
Wrangler		6	6		6	6		6	6	6	6	ribs. fiberglass	
<b>KIA</b>													
Sephia				8	9			14.D.B	13.D.B	11.D.B			
Sportage			9		10	9		14.D.B	13.D.B	11.D.B			
<b>LAND ROVER</b>													
Discover		19	19	19	19	19	19	19	19	19			
<b>LEXUS</b>													
All Inspected Vehicles Have Factory Installed Sunroofs													
<b>LINCOLN</b>													
Continental		14.B	14.B	14.B	14.B	14.B		14.B	14.B	14.B			

**SFC/CRL Sunroofs do not accept responsibility for any sunroof location. Highlighted areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.**

D=Move Dometight B=Roof Bow Ds=Double Steel Roof W=Wrapped Install Recommended F=Single Contour 1828 Only

Δ=Difficult Installation (Tight Fit)

AutoPort	NewPort	1433	1530	1735	1432	1528	1636	1732	1828	2032	2238	Comment	
<b>1998</b>	<b>Electric Spoilers</b>	<b>All spoilers have an interior bezel that extends at least 1 inch forward of the front cut line. Position the roof by following the instructions included with each spoiler.</b>						<b>ES100</b>		<b>ES32 ES300 ES500</b>			
<b>MAKF/MODFI</b>		Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
<b>LINCOLN (Continued)</b>													
Mark VIII			11.D.B		11.D.B	11.D.B		11.D.B	11.D.B	11.D.B			
Navigator		11.B	11.B		11.B	11.B		13.D.B	12.D.B	11.D.B		ribs. console	
Town Car		11.B	11.B		11.B	11.B		11.B	11.B	11.B			
<b>MAZDA</b>													
626		10	10	9	10	10		10	9	13.D.B			
Millenia		10	10		10	10		10.B	10.B	11.B			
MPV Van		10	10	10	10	10	10	10	10.B	10.B		flatten ribs	
MX-5 Miata			8		8	8						optional fiberglass hardtop	
Pickup Extended Cab		9.B	8.B		9.B	9.B	7.B	7.B	11.D.B.F	9.D.B			
Pickup Standard Cab		9.B	9.B		9.B	9.B	8.B	8.B					
Protege		10	10		10	10		13.D.B	12.D.B	10.D.B			
<b>MERCEDES BENZ</b>													
<b>All Inspected Vehicles Have Factory Installed Sunroofs</b>													
<b>MERCURY</b>													
1999 Cougar						12			12				
Grand Marquis		9.B		13.D.B			14.D.B	13.D.B	12.D.B	10.D.B			
Mountaineer		10	10		10	10		10	10	10		ribs. console	
Mvstique			10.B		8.B	8.B		10.B	10.B	10.B			
Sable			9		10	10		12.D.B	10.D.B	10.D.B			
Sable Wagon			9		10	10		9.D.B					
Tracer			8		8	8		12.D.B	11.D.B	10.D.B			
Tracer Wagon					8	8							
Villager		11.B	11.B	11.B	11.B	11.B	11.B	11.B	11.B	11.B			
<b>MITSUBISHI</b>													
3000 GT			10		10	10		10	10	Δ		hardtop only	
Diamante		10.B	10.B		10.B	10.B		10.B	10.B	10.B			
Eclipse		11	11		11	11		11	11	11			
Galant			10.B		10.B	10.B		10.B		11.D.B			
Mirage 2 Dr			9		9	9		9	8	12.D.B			
Mirage 4 Dr			10		10	10		9	13.D.B	11.D.B			
Montero		8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	13.D.B		
Montero Sport		10.B	10.B	10.B	10.B	10.B	10.B	10.B	10.B	10.B		console	
<b>NISSAN</b>													
200SX		10.B	9.B		10.B	10.B		13.D.B	12.D.B	10.D.B			
240SX			12.D.B		12.D.B	12.D.B		10.D.B	10.D.B	11.D.B			
Altima		10.B	10.B		10.B	10.B		9.B	14.D.B	12.D.B			
Frontier Pickup Ext Cab		9	9	9	9	9	9	9	9	9			
Frontier Pickup Std Cab		9	9	9	9	9	9	9	9	7.5			
Maxima		14.D.B	13.D.B		14.D.B	14.D.B		11.D.B	10.D.B	10.D.B			
Pathfinder		15.B	15.B		15.B	15.B		15.B					
Quest		11.B	11.B	11.B	11.B	11.B	11.B	11.B	11.B	11.B			
Sentra		9.B	9.B		9.B	9.B		13.D.B	12.D.B	10.D.B			
<b>OLDSMOBILE</b>													
1999 Alero						12.D.B			12.D.B.F			wide side rails	
88. LSS		15.B	15.B	15.B	15.B	15.B	15.B	15.B	15.B	15.B		console	
Aurora			13.B		13.B	13.B		13.B	13.B	13.B		console	
Bravada		9	9	9	9	9	9	9	9	8.W.D		console	
Cutlass		14.D.B	13.D.B		14.D.B	14.D.B		12.D.B	11.D.B	9.D.B			
Intrique			10.B		10.B	10.B		10.B	10.B	10.B			
Regency		12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B	12.B		console	
Silhouette										11.B		console	
<b>PLYMOUTH</b>													
Breeze		9	9		9	9		13.D.B	12.D.B	10.D.B			
Neon			9.5.D		9.5.D	9.5.D		9.5.D.B	9.5.D.B	9.5.D.B			
Vovaer		10.B	10.B		10.B	10.B	10.B	10.B	10.B	10.B		console	
<b>PONTIAC</b>													
1999 Grand Am 2 Dr						12.D.B			12.D.B.F	15.B		wide side rails	
Bonneville		15.B	15.B	15.B	15.B	15.B	15.B	15.B	15.B	15.B		console	
Firebird / Trans Am		No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!											
Grand Am						12.D.B			13.B.F			wide side rails	
Grand Prix			11.B		11.B	11.B		11.B	11.B	11.B		console	
Sunfire 2 Dr			9.D					9.D	9.D	9.D		console	
Sunfire 4 Dr									10.D			console.wide side rails	
Trans Sport										11.D		console	
<b>SAAB</b>													
900			11		11	11		11	11.F	11			
1999 9-5			14		14	14		14	14				
1999 9-3			14		14	14		14	14				
9000									11	11			

SFC/CRL Sunroofs do not accept responsibility for any sunroof location. <b>Highlighted areas reflect a general recommendation.</b> Further information is available in our Instructions and Troubleshooting Guide.													
AutoPort	NewPort	1433	1530	1735	1432	1528	1636	1732	1828	2032	2238	Comment	
<b>1998</b>	Electric Spoilers	All spoilers have an interior bezel that extends at least 1 inch forward of the front cut line. Position the roof by following the instructions included with each spoiler.						ES100			ES32 ES300 ES500		
<b>MAK/Model</b>		Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes		
<b>SATURN</b>													
SC1/SC2 2 Dr			12.D		13.D	13.D		11.D	11.D	11.D			
SL/SL1/SL2 Sedan			12		12	12		14.D.B	13.D.B	13.D.B			
SW1/SW2 Wagon					10	10							
<b>SUBARU</b>													
Forester									15.D.B.F			roof rack	
Impreza 2 Dr			9.B		9.B	9.B		12.D.B	11.D.B	9.D.B			
Impreza 4 Dr			9		9	9		9	11.D.B	9.D.B			
Impreza Wagon					7	7						roof rack	
Legacy			11.B		11.B	12.B		13.D.B	12.D.B	10.D.B			
Legacy Outback Wagon		No Sunroof Recommended Due to Multi-level Roof											
Legacy Wagon		11	11		11	11							
<b>SUZUKI</b>													
Esteem			9		9	9		9	8	13.D			
Esteem Wagon			9.B		9.B	9.B		9.B	9.B	8.B			
Sidekick			10		10	10		10		12.D.B		ribbed roof	
Swift			9		9	9	9		9	9			
<b>TOYOTA</b>													
4-Runner		8.5	8.5		8.5	8.5	8.5	8.5	8.5	8.5			
Avalon			9.B		9.B	9.B		9.B	9.B	9.B			
Camrv		11.B	10.B		11.B	11.B		12.D.B	11.D.B	10.D.B			
Celica			10.B		10.B	10.B		10.B	10.B	10.B			
Corolla		13.D.B	12.D.B		13.D.B	9.B		11.D.B	10.D.B	10.D.B			
Land Cruiser		All Inspected Vehicles Have Factory Installed Sunroofs											
Paseo			9		9	9		9	9	9			
RAV4 2 Dr			9		9	9		9	9	9			
RAV4 4 Dr			10		10	10		10	10	10			
Sienna			13.B	13.B	13.B	13.B		13.B	13.B	13.B			
Supra			9		9	9		9	9	9.D			
T100 Extended Cab			9	9	9	9	9	9	9	9	8		
T100 Standard Cab			9	9	9	9	9	9	9	7	5.5.W		
Tacoma Extended Cab			9	9	9	9	9	9	8	7	7		
Tacoma Standard Cab			9	9	8	9	9	9	8				
Tercel			9	9	9	9		9	9	11.D.B			
<b>VOLKSWAGEN</b>													
1999 Beetle						16			16				
Golf & GTI			10.B		10.B	10.B		10.B	10.B	10.B			
Jetta			10.B		10.B	10.B		10.B	10.B	10.B			
Passat			12.B		12.B	12.B		12.B	12.B	12.B			
Passat Wagon			12		12	12		12.D.B	12.D.B				
<b>VOLVO</b>													
C70, S70, V70		8	8		8	8	8	8					
S90, V90		All Inspected Vehicles Have Factory Installed Sunroofs											