


INSTALLATION SPECIFICATIONS AND INFORMATION 2002 MODEL YEAR

Proper Location of Sunroof

NOTE: These specifications are intended to be guidelines only. Car manufacturers may change specifications without notice. Determine the front to back position of the sunroof by placing the template inside the vehicle and determining the best possible position on the headliner. Transfer this position to the outside roof skin by dimpling the roof with an awl poked through the template at least 4 inches within the cut out area. Establish the vehicle center line by measuring side to side on the vehicle and dividing by two. Center the template on this line using the dimple to establish the front to back position. The depth measurements given in this guide are from where the windshield meets the interior trim at the inside center of the vehicle.


SFC and CRL do not accept responsibility for any sunroof location. Shaded areas reflect a general recommendation. It is the installer s responsibility to check and verify each application before beginning the installation.



Universal trim ring with multiple peel away options. Allows highest degree of flexibility for various installations.

T5

All Measurements Are Taken From The Interior And Are Shown With An Accuracy of +/- 1 Inch



Speeds and simplifies installation of hard or thick molded headliners. Allows further flexibility in installation approach.

T6

Interior Trim Ring Selection

The selection of the proper trim ring reflects an installer s choice, technique and ability. The T5 and T6 trim rings are universal, and can be adapted to a variety of headliner thicknesses. Adapting the ring to the desired configuration is shown on the installation instructions provided with the sunroof. The objective is to create a stack dimension which will firmly squeeze the sealant, steel roof top, shim and headliner together (Approx. 7/8 Inch). If a trim ring other than the one pre-assembled to your sunroof is used, be sure to pre-assemble this new ring to the frame for easier installation.

NOTE	EXPLANATION OF NOTES
B	A roof bow must be moved, removed or modified in order to properly place the sunroof. The portion of the bow at the edge of the sunroof installation must be trimmed to allow a one inch space between the edge of the sunroof and the cut end of the bow. This allows for proper shimming and a better finished product.
Consoles	Many vehicles, especially with higher trim level options, have overhead consoles. Modifications to this console may be required to install sunroofs in these vehicles. SFC Sunroofs does not provide exact specifications for this modification. Each vehicle may require a customized installation.
D	It is necessary to move the domelight. In most cases, you may reuse the original mounting bow or a section of it. Make sure that this mounting bow is grounded if it had been used as a ground in its original installation. Always remove the domelight fuse before cutting to prevent an electrical short.
Δ	This sunroof will fit in the vehicle listed. It will require expert installation and placement to assure a proper fit. Because of the intricacies of this installation, a setback measurement or notes may not be given.
Ds	A double steel roof is indicated by this symbol. Be aware of this factor when cutting the vehicle s roof and when determining the trim ring that you use.
F	A Newport 1828 (non Dual Contour) sunroof is recommended for this application. This version of the NP1828 is not dual contoured, and fits better in vehicles with flatter roofs.
W	A wrapped headliner installation is recommended by this note. This may allow a closer fit to the side rails or the header of the vehicle, and will give any vehicle an OEM appearance.

2002 Sunroof Application Guide

Printed in the USA
Unauthorized Reproduction
of this Material is Prohibited

SFC and CRL do not accept responsibility for any sunroof location. Shaded areas reflect a general recommendation.
Further information is available in our Instructions and Troubleshooting Guide.

2002 MAKE/MODEL	1530 Depth,Notes	1735 Depth,Notes	1432 Depth,Notes	1528 Depth,Notes	1636 Depth,Notes	1732 Depth,Notes	1828 Depth,Notes	ES100 Depth,Notes	ES300 ES500 Depth,Notes	2032 Depth,Notes	2238 Depth,Notes	Comment
ACURA	All Inspected Vehicles Have Factory Installed Sunroofs											
RSX				9			11,D,B	9,D,B				
AUDI	All Inspected Vehicles Have Factory Installed Sunroofs											
A4 Avant	All Inspected Vehicles Have Factory Installed Sunroofs											
A4,S4	10,B		10,B	10,B		10,B	10,B	12,B	12,B	10,B		
A6	All Inspected Vehicles Have Factory Installed Sunroofs											
A6 Avant	10	10	10	10		10	10,F	12	12	10		
A8	All Inspected Vehicles Have Factory Installed Sunroofs											
Allroad	All Inspected Vehicles Have Factory Installed Sunroofs											
TT Coupe							12					
BMW	All Inspected Vehicles Have Factory Installed Sunroofs											
BUICK	All Inspected Vehicles Have Factory Installed Sunroofs											
Century	9,B		9,B	9,B		9,B	12,B	14,B	14,B	12,B		
Le Sabre	14,B	14,B	14,B	14,B	14,B	14,B	14,B	16,B	16,B	14,B		
Park Avenue	13,B		13,B	13,B		13,B	13,B	15,B	15,B	13,B		
Regal	11,B		11,B	11,B		11,B	10,B	13,B	11,D,B	9,D,B		
Rendezvous	10,B,W		10,B,W	10,B,W		10,B,W	10,B,W	9,B,W	9,B,W	9,B,W		console
CADILLAC	All Inspected Vehicles Have Factory Installed Sunroofs											
2003 CTS	12,B		12,B	12,B		12,B	12,B	12,B	12,B	12,B		
DeVille						12,B	12,B,F	14,B	14,B	12,B		
Eldorado						12,B	12,B,F	14,B	14,B	12,B		
Escalade	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
Escalade EXT			17,B	17,B	17,B							console
Seville						12,B	12,B,F	14,B	14,B	12,B		
CHEVROLET	All Inspected Vehicles Have Factory Installed Sunroofs											
Astro Van			Δ	Δ								flatten ribs
Avalanche			17,B	17,B	17,B							console
Blazer	9	9	9	9	9	9	9	10,D	10,D	8,W,D		console
Camaro	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!											
Cavalier 2 Dr	9,D					9,D	9,D	11,D	11,D	9,D		
Cavalier 4 Dr				9,D			10,D					wide side rails
Express Van					Δ							flatten ribs
Impala	12,B		12,B	12,B		12,B	12,B,F	14,B	14,B	12,B		
Malibu	14,D,B		15,D,B	8,B		12,D,B	11,D,B	11,D,B	11,D,B	10,D,B		
Monte Carlo	12,B		12,B	12,B		11,B	10,D,B	12,D,B	12,D,B	16,D,B		deep contour in front
Prizm	12,D,B		13,D,B	9,B		11,D,B	10,D,B	10,D,B	10,D,B	10,D,B		
S-10 Pickup Extended Cab	9	9	9	9	9	9	9	11,B	11,B	9,B	9,B,W	
S-10 Pickup Standard Cab	9	9	9	9	9	9	9	11,D	11,D	8,W,D		
Silverado Crew Cab	13B		13B	13B	13							console, ribbed roof
Silverado Extended Cab	12B		12,B	12,B	11,B	11,B		11,B	10,B	10,B		console
Silverado Standard Cab	12B		12,B	12,B	11,B	11,B		11,D,B	10,D,B	10,D,B		console
Suburban	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
Tahoe	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
Trailblazer	10,B,W		10,B,W	10,B,W		10,B,W	10,B,W	9,B,W	9,B,W	9,B,W		console
Tracker	7		7	7		7	7,F	9,D,B	9,D,B			ribbed roof
Venture									13,B	11,B		console
CHRYSLER	All Inspected Vehicles Have Factory Installed Sunroofs											
300M	14,B		14,B	14,B		14,B	14,B	15,B	15,B	14,B		
Concorde	14,B		14,B	14,B		14,B	14,B	15,B	15,B	14,B		console
PT Cruiser	12		12	12		12	12	12	12	12		
Sebring 4 Dr	10		10	10		13,D,B	12,D,B	11,D,B	11,D,B	10,D,B		
Sebring Coupe							12,B					4 drop in headliner
Town & Country, Voyager	10,B		10,B	10,B	10,B	10,B	10,B	12,B	12,B	10,B		console
DAEWOO	All Inspected Vehicles Have Factory Installed Sunroofs											
Lanos	8		8	8		13,D,B	12,D,B	10,D,B	10,D,B	10,D,B		
Leganza	12		12	12		12	11,D,B	13,D,B	13,D,B	14,D,B		
Nubira	10,B		10,B	10,B		10,B	10,B	9,B	9,D,B	9,D,B		
2003 Rezzo	12		12	12		12	18,D,B	14,D,B	14,D,B	14,D,B		
DODGE	All Inspected Vehicles Have Factory Installed Sunroofs											
Caravan	10,B		10,B	10,B	10,B	10,B	10,B	11,B	11,B	10,B		console
Dakota Pickup Ext Cab	10		10	10	10	10		11				console

SFC and CRL do not accept responsibility for any sunroof location. Shaded areas reflect a general recommendation.
Further information is available in our Instructions and Troubleshooting Guide.

D=Move Domelight
Δ=Difficult Installation (Tight Fit)

B=Roof Bow

Ds=Double Steel Roof

W=Wrapped Install Recommended

F=Single Contour 1828 Only

Console=Console Modification Required w/some trim packages

2002	1530	1735	1432	1528	1636	1732	1828	ES100	ES300 ES500	2032	2238	Comment
MAKE/MODEL	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	Depth,Notes	
DODGE (Continued)												
Dakota Pickup Quad Cab	No roof recommended											ribs, console
Dakota Pickup Std Cab	10		10	10	10	10		11				
Durango	7,D		7,D		7,D,D	7,D						no genesis, console
Ram Van/Wagon	12				12				12	12	12	
Intrepid	14,B		14,B	14,B		14,B	14,B	15,B	15,B	14,B		
Neon	9,D		9,D	9,D		9,D	9,D,B	9,D,B				
Ram Pickup Quad Cab	14.5,D		14.5,D	14.5,D	14.5,D							console
Ram Pickup Standard Cab	14.5,D		14.5,D	14.5,D	14.5,D							
Stratus Coupe							12,B					4 drop in headliner
Stratus Sedan	10		10	10		13,D,B	12,D,B	11,D,B	11,D,B	10,D,B		
FORD												
Crown Victoria						13,D,B	12,D,B	14,D,B	14,D,B	12,D,B		
Econoline Van			10,D	10,D	10,D							fill roof ridges
Escape	12,B		12	12		12,B	12,B	13,D,B	13,D,B	15,D,B		ribs, console
Escort ZX2	7,B		7,B	8,B		11,D,B	10,D,B	10,D,B	10,D,B	8,D,B		
Excursion	11,B		11,B	11,B		13,D,B	12,D,B	13,D,B	13,D,B	11,D,B		ribs, console
Expedition	11,B		11,B	11,B		13,D,B	12,D,B	13,D,B	13,D,B	11,D,B		ribs, console
Explorer			12	12		12		12,B	12,B	12,B		ribs, console
Explorer Sport Trac	12,B		12	12		12,B	12,B	13,D,B	13,D,B	15,D,B		ribs, console
F-150 Extended Cab	10		10	10	10	10	11	12	12	10		
F-150 Standard Cab	10,B		10,B	10,B	10,B	10,B	10,D,B	11,D,B	11,D,B	10,D,B		
F-150 Supercrew					10	10						ribs, console
F-250 Extended Cab	10,B		10,B	10,B	10,B	10,B	11,B	12,B	12,B	10,B		
F-250 Standard Cab	10,B		10,B	10,B	10,B	10,B	11,B	12,B	12,B	10,B		
Focus	10		10	10		10	10	10	10	10		
Superduty Pickup 250/350	10,B		10,B	10,B	10,B	10,B	11,B	12,B	12,B	10,B		
Mustang	8,B		8,B	8,B			9,D,B	10,D,B	10,D,B	9,D,B		
Ranger Extended Cab	8,B		9,B	9,B	7,B	7,B	11,D,B	9,D,B	9,D,B	9,D,B		
Ranger Standard Cab	9,B		9,B	9,B	8,B	8,B		10,B				
Taurus	9		10	10		12,D,B	10,D,B	12,D,B	11,D,B	10,D,B		
Taurus Wagon	10		10	10		9,D,B		11,D,B				
Windstar Van	10		10	10		10	12,D,B	11,D,B	11,D,B	11,D,B		
GMC												
Denali	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
Envoy	10,B,W		10,B,W	10,B,W		10,B,W	10,B,W	9,B,W	9,B,W	9,B,W		console
Safari			Δ	Δ								
Savana Van					Δ							flatten ribs
Sierra Crew Cab	13B		13B	13B	13							console, ribbed roof
Sierra Extended Cab	12B		12,B	12,B	11,B	11,B		11,B	10,B	10,B		console
Sierra Standard Cab	12B		12,B	12,B	11,B	11,B		11,D,B	10,D,B	10,D,B		console
Sonoma Pickup Extended	9	9	9	9	9	9	9	10	10,B	9,B	9,B,W	
Sonoma Pickup Standard	9	9	9	9	9	9	9	10	10,D	8,W,D		
Suburban	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
Yukon	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds	10,Ds		9,Ds	8,Ds	8,Ds		console
HONDA												
Accord	14,D,B		15,D,B	10,B		12,D,B	11,D,B	12,D,B	12,D,B	11,D,B		large rear brace (coupe)
Civic 2 Dr, 3 Dr	11,B		11,B	10,B		9,B	11,D,B	11,D,B	11,D,B	11,D,B		
Civic 4 Dr	10,B		10,B	10,B		13,D,B	12,D,B	12,D,B	12,D,B	10,D,B		
CR-V	11,B		11,B	11,B		11,B	11,B	12,D,B	12,D,B	11,D,B		
Insight	12		12	12		15,D,B	14,D,B	12,D,B	12,D,B	12,D,B		
Odyssey	13,B		13,B	13,B		13,B	13,B	15,B	15,B	13,B		
Passport	10	10	10	10	10	10	10	12	12	10		
HYUNDAI												
Accent	12,D,B			9			10,D,B					
Elantra	9		9	9		7	13,D,B	11,D,B	11,D,B	11,D,B		
Elantra Wagon	No Sunroof Recommended Due to Multi-level Roof											
Santa Fe								14,B	14,B	14,B		ribbed roof
Sonata	11,B		11,B	11,B		11,B	10,B	12,D,B	12,D,B	12,D,B		
2003 Tiburon	8,B		8,B	8,B		12,D,B	11,D,B	10,D,B	10,D,B	9,D,B		
XG350								15,D,B	15,D,B	15,D,B		13,D,B
INFINITI												
G20, I35, Q45	All Inspected Vehicles Have Factory Installed Sunroofs											
QX4	15,B		15,B	15,B		15,B						
ISUZU												
Axiom	13		13	13		13		13,D,B	13,D,B	15,D,B		console
SFC and CRL do not accept responsibility for any sunroof location. Shaded areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.												

2002	1530	1735	1432	1528	1636	1732	1828	ES100	ES300 ES500	2032	2238	Comment
ISUZU (Continued)												
Rodeo	10	10	10	10	10	10	10	12	12	10		
Rodeo Sport	10	10	10	10	10	10	10	11	11	10		
Trooper	11,B	15,D,B	12,B	12,B		15,D,B	14,D,B	14,D,B	14,D,B	12,D,B	12,D,B	
JEEP												
Grand Cherokee			15			15		15	15	15		flatten ribs in rear
Liberty	14,B		14,B	14,B		14,B	14,B,F	15,B	15,B	14,B		console, ribbed roof
Wrangler	6		6	6		6	6	6	6	6	6	ribs, fiberglass
KIA												
Optima	13		13	13		12	15,D,B	13,D,B	13,D,B	13,D,B		
Rio	12,D,B		12,D,B	9		10,D,B	10,D,B	11,D,B	11,D,B	10,D,B		
Sedona			13	13		13	13	13	13	13		console
Spectra			12,B	12,B								
Sportage 4 Dr	15,D,B		9	10		14,D,B	13,D,B	11,D,B	11,D,B	11,D,B		
LAND ROVER												
Discovery II	19	19	19	19	19	19	19	21	21	19		
Freelander	13		13	13		13	13	13	13	13		
LEXUS All Inspected Vehicles Have Factory Installed Sunroofs												
LINCOLN												
Blackwood					10	10						ribs, console
Continental	17,B		17,B	17,B		17,B	17,B	17,B	17,B	14,B		
LS	15,B		15,B	15,B		15,B	15,B	16,B	16,B	15,B		
Navigator						13						ribs, console
Town Car	12		12	12		11	11	12,B	12,B	13,B		
MAZDA												
626	10	9	10	10		10	9	11,D,B	11,D,B	13,D,B		
Millenia	10		10	10		10,B	10,B	12,B	12,B	11,B		
MPV		Δ			Δ	Δ						console must be
MX-5 Miata	8		8									optional fiberglass top
Pickup Extended Cab	8,B		9,B	9,B	7,B	7,B	11,D,B	9,D,B	9,D,B	9,D,B		
Pickup Standard Cab	9,B		9,B	9,B	8,B	8,B						
Prot g	13,D,B		9	9		13,D,B	12,D,B	12,D,B	12,D,B	10,D,B		
Tribute	12,B		12	12		12,B	12,B	13,D,B	13,D,B	15,D,B		ribs, console
MERCEDES BENZ All Inspected Vehicles Have Factory Installed Sunroofs												
MERCURY												
Cougar				12			12	12				
Grand Marquis		13,D,B			14,D,B	13,D,B	12,D,B	12,D,B	12,D,B	10,D,B		
Mountaineer			12	12		12		12,B	12,B	12,B		ribs, console
Sable	9		10	10		12,D,B	10,D,B	11,D,B	11,D,B	10,D,B		
Sable Wagon	9		10	10		9,D,B						
Villager	11,B	11,B	11,B	11,B	11,B	11,B	11,B	13,B	13,B	11,B		
MINI												
Cooper				15			15,F	15				
MITSUBISHI												
Diamante	10,B		10,B	10,B		10,B	10,B	12,B	12,B	10,B		
Eclipse	11		11	11		11	11	13	13	11		
Galant	10		10	10								heavy brace
Lancer	11		11	11		14,D,B	13,D,B	11,D,B	11,D,B	11,D,B		
Mirage 2 Dr	11		11	11		10		11,D,B	11,D,B	12,D,B		
Montero Sport	10,B	10,B	10,B	10,B	10,B	10,B	10,B	12,B	12,B	10,B		console
Montero	8.5	8.5	8.5	8.5	8.5	8.5	8.5	10	10	8.5	13,D,B	
NISSAN												
Altima	12,B		12,B	12,B		14,D,B	13,D,B	12,D,B	12,D,B	12,D,B		
Frontier Pickup Crew Cab	9, B	9, B	9, B	9, B	9, B	9, B	9, B	9, B	9, B	9, B	9, B	
Frontier Pickup Extended	9	9	9	9	9	9	9	10	10	9		
Frontier Pickup Standard	9	9	9	9	9	9	9	9	9	7.5		
Maxima	12		13	13		17,D,B	16,D,B	15,D,B	15,D,B	14,D,B		
Pathfinder	15,B		15,B	15,B		15,B						
Quest	11,B	11,B	11,B	11,B	11,B	11,B	11,B	13,B	13,B	11,B		
Sentra						13,D,B	12,D,B	11,D,B		12,D,B		
Xterra	9		9	9	9	9						
OLDSMOBILE												
Alero	12,D,B		13,D,B	12,D,B		12,D,B	12,D,B	12,D,B	12,D,B	12,D,B		
Aurora	13,B		13,B	13,B		13,B	13,B	15,B	15,B	13,B		console
Bravada	10,B,W		10,B,W	10,B,W		10,B,W	10,B,W	9,B,W	9,B,W	9,B,W		console
Intrigue	12,B		12,B	12,B		12,B	12,B	12,B	12,B	12,B		
Silhouette									12,B	11,B		console
SFC and CRL do not accept responsibility for any sunroof location. Shaded areas reflect a general recommendation. Further information is available in our Instructions and Troubleshooting Guide.												

2002	1530	1735	1432	1528	1636	1732	1828	ES100	ES300 ES500	2032	2238	Comment
PONTIAC												
Aztek	10,B		10,B	10,B	10,B	10,B	10,B	11,B	11,B	10,B		
Bonneville	13,B		13,B	13,B		13,B	13,B	15,B	15,B	13,B		console
Firebird / Trans Am	No Sunroof Recommended Due to Structural Roof Brace-Do Not Remove!											
Grand Am	12,D,B		13,D,B	12,D,B		12,D,B	12,D,B	12,D,B	12,D,B	12,D,B		
Grand Prix	11,B		11,B	11,B		11,B	11,B	13,B	13,B	11,B		console
Montana									12,D	11,D		console
Sunfire 2 Dr	9,D					9,D	9,D	11,D	11,D	9,D		console
Sunfire 4 Dr				9,D			10,D					console,wide side rails
2003 Vibe	13,B		13,B	13,B		13,B	13,B	13,B	13,B	13,B		ribbed roof
SAAB												
9-3	14		14	14		14	14	16	16			
9-5	14		14	14		14	14	16	16			
SATURN												
LS	10		10	10		9	16,D,B	12,D,B	12,D,B	13,D,B		
SC	12,D		13,D	13,D		10	11,D	13,D	13,D	11,D		
SC 3 Dr				10			10,D					
SL	10		10	10		10	13,D,B	11,D,B	11,D,B	11,D,B		
SW	10		10	10		10	13,D,B	11,D,B	11,D,B	11,D,B		
VUE	13,B		13,B	13,B		13,B	13,B	13,B	13,B	13,B		ribbed roof
SUBARU												
Forester							15,D,B					roof rack, heavy brace
Impreza 2 Dr	9,B		9,B	9,B		12,D,B	11,D,B	11,D,B	11,D,B	9,D,B		
Impreza 4 Dr	9		9	9		9	11,D,B	11,D,B	11,D,B	9,D,B		
Impreza Wagon			7	7								roof rack
Impreza WRX	9,B		9,B	9,B		12,D,B	11,D,B	11,D,B	11,D,B	9,D,B		
Legacy	11,B		11,B	12,B		13,D,B	12,D,B	12,D,B	12,D,B	10,D,B		
Legacy Outback Wagon	No Sunroof Recommended Due to Multi-level Roof											
Legacy Wagon	11		11	11								
SUZUKI												
Esteem	9		9	9		9	8	13,D	13,D	13,D		
Esteem Wagon	9,B		9,B	9,B		9,B	9,B	10,B	10,B	8,B		
Grand Vitara	7		7	7		7	7,F	9,D,B	9,D,B			ribbed roof
Vitara	7		7	7		7	7,F	9,D,B	9,D,B			ribbed roof
XL-7	10		10	10		8						ribbed roof
TOYOTA												
4-Runner	8.5		8.5	8.5	8.5	8.5	8.5	10	10	8.5		
Avalon	16,D,B					14,D,B	14,D,B	16,D,B	16,D,B	14,D,B		
Camry	10,B		11,B	11,B		12,D,B	11,D,B	12,D,B	12,D,B	10,D,B		
Celica	10,B		10,B	10,B		10,B	10,B	12,B	12,B	10,B		
2003 Corolla	14,B		14,B	14,B		14,B		16,D,B	16,D,B	18,D,B		
ECHO	9		9	9		9	9	9	9	9		
Highlander	14		14	14	14	14	14	14	14	14		console
Land Cruiser	All Inspected Vehicles Have Factory Installed Sunroofs											
2003 Matrix	10,B		10,B	10,B		10,B	10,B	9,B	9,B	9,B		
Prius	10		10	11		13,D,B	13,D,B	10,D,B	10,D,B	10,D,B		
RAV4 4 Dr	13,B		13,B	13,B		13,B	13,B	13,B	13,B	13,B		
Sequoia	12		12	12	12	12	12	12	12	12		console
Sienna	17,B	17,B	17,B	17,B		17,B	17,B			17,B		
Solara	10,B		11,B	11,B		10,D,B	12,D,B	12,D,B	12,D,B	10,D,B		
Tacoma 4 Dr	10		10	10		10	10,F	10	10	10		
Tacoma Extended Cab	9	9	9	9	9	9	8	9	9	7	7	
Tacoma Standard Cab	9	8	9	9	9	9	8	10				
Tundra	12	12	12	12	12	12	12	11	11	11		
VOLKSWAGEN												
Beetle				16			16					
EuroVan	11		11	11								
Golf & GTI	11,B		11,B	11,B		11,B	11,B,F	12,B	12,B	11,B		
Jetta, Jetta Wagon	11,B		11,B	11,B		11,B	11,B,F	12,B	12,B	11,B		
Passat	12,B		12,B	12,B		12,B	12,B	14,B	14,B	12,B		
Passat Wagon	12		12	12		12,D,B	12,D,B					
VOLVO												
C70,S70,V70	12		12	12		12,B	12,B	12,B	12,B	12,B		
S40,V40	10		10	10		10	10,B	10,B	10,B	10,B		
S60,V60	12		12	12		12,B	12,B	12,B	12,B	12,B		
S80	All Inspected Vehicles Have Factory Installed Sunroofs											